

Export user get ddl

```
-- (o) Tom Kyte
set pagesize 999
set long 10000
select (case
  when ((select count(*)
         from dba_users
         where username = '&&Username') > 0)
  then dbms_metadata.get_ddl ('USER', '&&Username')
  else to_clob (' -- Note: User not found!')
  end ) Extracted_DDL from dual
UNION ALL
select (case
  when ((select count(*)
         from dba_ts_quotas
         where username = '&&Username') > 0)
  then dbms_metadata.get_granted_ddl( 'TABLESPACE_QUOTA', '&&Username')
  else to_clob (' -- Note: No TS Quotas found!')
  end ) from dual
UNION ALL
select (case
  when ((select count(*)
         from dba_role_privs
         where grantee = '&&Username') > 0)
  then dbms_metadata.get_granted_ddl ('ROLE_GRANT', '&&Username')
  else to_clob (' -- Note: No granted Roles found!')
  end ) from dual
UNION ALL
select (case
  when ((select count(*)
         from dba_sys_privs
         where grantee = '&&Username') > 0)
  then dbms_metadata.get_granted_ddl ('SYSTEM_GRANT', '&&Username')
  else to_clob (' -- Note: No System Privileges found!')
  end ) from dual
UNION ALL
select (case
  when ((select count(*)
         from dba_tab_privs
         where grantee = '&&Username') > 0)
  then dbms_metadata.get_granted_ddl ('OBJECT_GRANT', '&&Username')
  else to_clob (' -- Note: No Object Privileges found!')
  end ) from dual
/
```